



- GENERAL NOTES**
- 1.1 THIS DRAWING IS COPYRIGHT AND SHOULD NOT BE REPRODUCED IN WHOLE OR PART WITHOUT THE WRITTEN CONSENT OF PATRICK PARSONS LTD.
 - 1.2 DO NOT SCALE FROM THIS DRAWING.
 - 1.3 LOCATIONS OF ALL EXISTING SERVICES ON-SITE TO BE CONFIRMED & PROVIDED TO THE ENGINEER PRIOR TO COMMENCEMENT OF WORKS.
 - 1.4 THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT PATRICK PARSONS LTD DRAWINGS & SPECIFICATIONS.
- KEY:**
- PROPOSED ADOPTABLE CARRIAGEWAY PHASE 3
 - PROPOSED HIGHWAY GULLIES & LEADS PHASE 3
 - PROPOSED STREETLIGHTING COLUMN PHASE 3
 - SITE BOUNDARY
 - VISIBILITY SPLAY (2.4mH 5m x 45m/90m)

LEGEND:

- 6m COLUMN WITH PLASTIC COAT PROTECTION (RAL 7016) WITH POST MOUNTED 20w ORANGETEK ARALED WIDE OPTIC LANTERN 350mA DRIVER

STREET LIGHTING NOTES

1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH SPECIFICATION AND STANDARD DETAILS
2. ELECTRICITY COMPANY TO SERVICE ALL COLUMNS, UNLESS OTHERWISE SHOWN
3. DEVELOPER TO LIAISE WITH ELECTRICITY COMPANY TO ARRANGE SERVICES TO COLUMNS
4. TREES TO BE OMITTED WHERE COLUMN POSITIONS ARE PROPOSED
5. COLUMNS TO BE LOCATED AT REAR OF FOOTPATH (H/3) OR BUILT OUT 1m FROM KERB EDGE WHEN IN SERVICE STRIP (H/19-1)
6. COLUMNS LOCATED ADJACENT TO DRIVES TO HAVE 1m CLEARANCE OR BE LOCATED AT TOP OF DROP KERB
7. COLUMNS WHERE VEHICULAR ACCESS IS RESTRICTED TO BE RAISE AND LOWER MD HINGED TYPE
8. NO ACCOUNT TAKEN OF ANY COLUMNS TO REPOSITION ON ADJOINING ROADS OR DUE TO VISIBILITY SPLAYS (EXCEPT WHERE SHOWN WHICH MAY FORM PART OF A SECTION 278 AGREEMENT. DEVELOPER TO LIAISE WITH NYCC REGARDING LIGHTING DESIGN/ITERATIONS THIS DESIGN IS BASED ON INFORMATION PROVIDED BY THE DEVELOPER. NO SITE SURVEY HAS BEEN UNDERTAKEN. SITE CONDITIONS THAT COULD AFFECT THE POSITION OF COLUMNS SHOULD BE IDENTIFIED ON THE PLAN. TYPICAL EXAMPLES ARE THE PRESENCE OF OVERHEAD ELECTRIC CABLES OR EXISTING TREES TO BE RETAINED
9. DEVELOPER TO BE AWARE THAT TREE PLANTING MAY COMPROMISE THE PERFORMANCE OF THIS LIGHTING SYSTEM
10. CHANGES TO HIGHWAY DESIGN SUCH AS THE INTRODUCTION OF ROAD HUMPS/SPEED TABLES MAY WARRANT CHANGES TO PART-NIGHT/ALL-NIGHT LIGHTING AT TIME OF PRE ADOPTION INSPECTION
11. SEE DETAILS REGARDING DIRECTION OF COLUMN DOOR (H/3), DEPARTURES WILL NOT BE ACCEPTED
12. CARE SHOULD BE TAKEN RELATIVE TO THE THERMOPLASTIC COATING ON THE COLUMNS. DAMAGE WILL NOT BE ACCEPTED (THIS INCLUDES THE USE OF WACHER PLATES ETC. TO THE BASE OF THE COLUMN)
13. NONE SPEC. COLUMN PLANTING DEPTH WILL NOT BE ACCEPTED

STANDARD DETAILS:

- HE1 LIGHTING COLUMN FOUNDATION
- HE3 LIGHTING COLUMN/MISSION POLE DOOR POSITION
- HE19 COLUMN POSITION
- HE4 COLUMN NUMBERING
- HE5 TO 9 TERMINATION TYPES

P2	LOTS 137-147 REMOVED AND NOTE ADDED	05.10.17	TJB
P1	INITIAL ISSUE	05.10.17	TJB
Rev.	Amendments	Date	By

PATRICK PARSONS

Waterloo House
Thames Street
Newcastle upon Tyne
NE1 4AB
United Kingdom
T: +44 (0)191 261 8000
E: info@patrickparsons.co.uk
W: www.patrickparsons.co.uk

Client
Persimmon Homes Teesside

Project
Darlington Road Northalerton

Drawing
Section 38 Agreement Phase 3

Scale	1:500	At original size	A0
Drawn	TJB	Checked	DSH
Date	OCT 2017		

Status
PRELIMINARY

Drawing No. **N17017-2862** Rev. **P2**